


## Airfree destroys rather than holds viruses

### The power of the 180-200°C heat in the Airfree ceramic core mini ducts to destroy viruses

Airfree is a complementary precaution to keep a low level of microorganisms in indoor environments. WHO's standard recommendations for individual protection, reducing exposure and cross transmission are to be followed.







### Why Airfree?


It has long been known and scientifically proven that all microorganisms, viruses in particular, are sensitive to heat. It is common knowledge that boiling water or boiling an egg at 100°C destroys viruses and bacteria.

### Examples of virus inactivation by heat

Numerous studies confirm the inactivation of viruses with the application of heat. For example, the HIV virus in the blood will die when exposed to 77°C for just 0.006 seconds<sup>1</sup>. In another study<sup>2</sup>, the "parvovirus" and "phage phiX174" viruses were completely inactivated when exposed to 103°C. The SARS and MERS viruses (coronaviruses that cause Severe Acute Respiratory Syndrome or Middle East Respiratory Syndrome) have temperature sensitive proteins in their envelopes, which can be totally denatured at temperatures above 65°C, and remain inactive<sup>3,4,5,6</sup>. Similarly, proteins essential for the transmission of the influenza virus are sensitive to temperatures between 55°C and 70°C. Since 1977, studies show that the higher the temperature, the faster the proteins denature<sup>7</sup>. Viruses heat sensitivity is dependent on several factors, such as virus type, exposure time, temperature and methodology. Recent studies have shown that exposure to continuous air flow heating for sub-second time interval is highly efficient on inactivating MS2 virus, considered relatively stable at environmental stress conditions<sup>8</sup>.



## Airfree destroys rather than holds viruses



## Airfree TSS technology

The Airfree TSS technology employs high temperatures inside its ceramic core mini ducts to destroy any airborne microorganism passing through them. Independent tests by international laboratories confirm Airfree's efficiency in destroying viruses, bacteria, mould, as well as allergens at a temperature of 180-200°C. Tests available at [www.airfree.com](http://www.airfree.com).

**Airfree cannot warrant that all viruses will be immediately destroyed in a room therefore, remains the possibility of some being inhaled.**

## Airfree additional advantages



**Patented and environmentally friendly technology**



**Maintenance-free**



**Totally silent**



**Low energy consumption**



**Small and portable**



**Night Light\***



**Award-winning design**



**2-year warranty**



**Ozone-free**

\*Check the available models.

## Sources:

- A - Inczea, K., Kormendy, L., Kormendy, I., Zsarnoczaya, G. (1999). Considerations of critical microorganisms and indicator enzymes in connection with the pasteurization of meat products. *Meat Science* 51, 115-121
- B - [https://www.who.int/influenza/resources/documents/food\\_risk\\_h5n1\\_11\\_2005/en/](https://www.who.int/influenza/resources/documents/food_risk_h5n1_11_2005/en/)
- C - India Leclercq et al. (2014) Heat inactivation of the Middle East respiratory syndrome coronavirus. *Influenza and Other Respiratory Viruses* 8(5), 585-586.
- D - Maschmann, J., Müller, D., Lazar, K., Goelz, R., Hamprecht, K. (2019). New short-term heat inactivation method of cytomegalovirus (CMV) in breast milk: impact on CMV inactivation, CMV antibodies and enzyme activities. *ARCHIVES OF DISEASE IN CHILDHOOD-FETAL AND NEONATAL EDITION* Volume: 104 Issue: 6 Pages: F604-F608.
- 1 - Charm SE, Landau S, Williams B, Horowitz B, Prince AM, Pascual D. High-temperature short-time heat inactivation of HIV and other viruses in human blood plasma. *Vox Sang.* 1992;62(1):12-20.
  - 2 - Lelie PN, Reesink HW, Lucas CJ. Inactivation of 12 viruses by heating steps applied during manufacture of a hepatitis B vaccine. *J Med Virol.* 1987 Nov;23(3):297-301.
  - 3 - Morrison EE, Wang YF, Meredith DM. Phosphorylation of structural components promotes dissociation of the herpes simplex virus type 1 tegument. *J Virol.* 1998 Sep;72(9):7108-14.
  - 4 - Jaovisidha P, Peoples ME, Brees AA, Carpenter LR, Moy JN. Respiratory syncytial virus stimulates neutrophil degranulation and chemokine release. *J Immunol.* 1999 Sep 1;163(5):2816-20.
  - 5 - Wang Y, Wu X, Wang Y, Li B, Zhou H, Yuan G, Fu Y, Luo Y. Low stability of nucleocapsid protein in SARS virus. *Biochemistry.* 2004 Aug 31;43(34):11103-8.
  - 6 - Epanand RM, Epanand RF. The Thermal Denaturation of Influenza Virus and its Relationship to Membrane Fusion. *Biochemical Journal Immediate Publication.* Published on 7 May 2002 as manuscript BJ20020290.
  - 7 - Palumbo SA, Smith JL, Kissinger JC. Destruction of *Staphylococcus aureus* During Frankfurter Processing. *Applied and environmental microbiology,* 1977:740-744.
  - 8 - Grinshpun, SA, Adhikari, A, Li, C, Yermakov, M, Reponen, L, Johansson, E, Trunov, M. Inactivation of aerosolized viruses in continuous air flow with axial heating. *Aerosol Science and Technology.* 2010, 44(11): 1042-1048.